





**SPECS: OG-3500**  
**OXYGEN OUTPUT**.....3500 scf/hr @ 45 psig  
 92.00 Nm<sup>3</sup>\*\*/hr @ 310 kPa  
**DEWPOINT**.....-100° F (-73° C)  
**OXYGEN PURITY**.....90% ± 5%  
**AIR REQUIREMENT**.....812.5 scf/min. @90 psig  
 17.4 Nm<sup>3</sup>\*\*/min @ 621 kPa  
**SOUND LEVELS**.....76dba @ 1 meter  
**DIMENSIONS**.....98" x 72" x 146" (WxDxH)  
 248.9 cm x 182.9 cm x 370.8 cm  
**WEIGHT**.....12,500 lbs. (5670 Kg.)  
**POWER**.....120 VAC, 60 Hz, 50 Watts (STD.) or  
 220 VAC, 50 Hz, 50 Watts (OPTIONAL)



\* A Standard Cubic Foot (SCF) is a cubic foot of gas at 14.7 psia (sea level atmospheric pressure) and 60 degrees Fahrenheit  
 \*\* A Normal Cubic Meter (Nm<sup>3</sup>) is a cubic meter of gas at 760mm Hg (sea level atmospheric pressure) and 0 degrees Celsius

FILE NAME: GA3500	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES AND ARE APPROXIMATE	<b>OGSI</b> 2221 Niagara Falls Boulevard Niagara Falls, New York 14304 Phone: (716) 731-1455 Fax: (716) 731-1958		TITLE		OG-3500 GENERAL ARRANGEMENT				
DRAWN BY: C. L. WEBER	DATE: 3/10/97			PROJECT: NA	EFFECTIVITY OR SERIAL NO.	SCALE: NTS	SHEET NO. 1 OF 1	NO.	DESCRIPTION	EDN
CHECKED BY: J. M. McMAHON	CLASS CODE: SALES & MARKETING					REVISIONS				
RELEASED										